

Venue CARGO

Venue 1.2 MPI Premium CARGO MT MY24

Venue 1.2 MPI Xtra CARGO MT MY25

LCV Panel Van

LCV Panel Van

Petrol

Petrol

5-spd Manual

5-spd Manual

ENGINE

General Data

Displacement (cc)	1197	1197
Bore x Stroke (mm)	71.0 x 75.6	71.0 x 75.6
Compression Ratio	10.5:1	10.5:1
Max. Power (kW/rpm)	61 / 6000	61 / 6000
Max. Torque (Nm/rpm)	115 / 4000	115 / 4000
Number of Cylinders	4	4
Cylinder Block	Aluminium	Aluminium
Cylinder Head	Aluminium	Aluminium
Timing Chain	Silent Timing Chain	Silent Timing Chain
Valve System	16-VALVE MLA	16-VALVE MLA
Fuel System	MPI	MPI
Fuel Type	High Octane Petrol	High Octane Petrol
Fuel Tank (L)	45	45
Lubricant Oil Capacity (L)	3.6 (with Oil Filter)	3.6 (with Oil Filter)
Cooling Fluid Capacity (L)	4.9	4.9
Electrical System		
Battery	45 AH	45 AH
Alternator	13.5V 90A	13.5V 90A
Starter	12V 0.9kw	12V 0.9kw

TRANSMISSION

Drive Type	2WD	2WD
Transmission Type	5-spd Manual	5-spd Manual
Gear Ratio		
1st	3.727	3.727
2nd	2.056	2.056
3rd	1.269	1.269
4th	0.964	0.964
5th	0.774	0.774
Reverse	3.636	3.636
Final	5.063	5.063
Clutch Type	Dry single plate with diaphragm spring	Dry single plate with diaphragm spring
Lubricant Capacity (L)	1.3~1.4	1.3~1.4

VEHICLE PERFORMANCE

Max Speed (kph)	158	158
Acceleration (sec)		
0 → 100 kph	14.2	14.2
Braking (m)		
100 → 0 m	43.5	43.5
Coefficient of Drag	0.36	0.36

FUEL CONSUMPTION (European testing)

Combined Cycle	Litres / 100 km	6.5	6.5
----------------	-----------------	-----	-----

CO2 EMISSIONS (European testing)

Combined Cycle	g/km	152	152
----------------	------	-----	-----

SUSPENSION

Front	McPherson Strut Type	McPherson Strut Type	
Rear	Couple Torsion Beam Axle	Couple Torsion Beam Axle	
Shock Absorbers	Front	Oil & Coil Spring	Oil & Coil Spring
	Rear	Oil & Coil Spring	Oil & Coil Spring

STEERING

Steering Wheel Description	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag
Steering Type	C-MDPS	C-MDPS
Power Assisted	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)
Steering Column Adjustment	Tilt	Tilt
Steering Wheel Finish	Polyurethane	Polyurethane
Steering Wheel Multifunction Controls	Audio, On Board Computer & Bluetooth	Audio, On Board Computer & Bluetooth
Steering Wheel Turns (lock to lock)	2.70	2.70
Min. Turning Radius (m)	5.10	5.10

WHEELS & TYRES

Wheel Type	Styled Covers 15"	Styled Covers 15"
Tyre Size		

Venue CARGO

Venue 1.2 MPI Premium CARGO MT MY24

Venue 1.2 MPI Xtra CARGO MT MY25

LCV Panel Van

LCV Panel Van

Petrol

Petrol

5-spd Manual

5-spd Manual

Front

195/65R15 91H

195/65R15 91H

Rear

195/65R15 91H

195/65R15 91H

Spare

195/65R15

195/65R15

Spare Tyre Location

Located under cargo area

Located under cargo area

Tyre Pressure (Kpa):

Front

Unladen

230

230

Laden

250

250

Rear

Unladen

230

230

Laden

260

260

Spare

260

260

BRAKES

Front Brake Type

Φ280 Ventilated Disc Type

Φ280 Ventilated Disc Type

Rear Brake Type

Φ203.2 Drum Brake Type

Φ203.2 Drum Brake Type

Brake Booster

10" Single

10" Single

Boost Ratio

7:1

7:1

Park Brake

Hand Lever, Mechanical Cable Type

Hand Lever, Mechanical Cable Type

ABS (Anti-Lock Breaking System)

Standard

Standard

EBD (Electronic Brake Force Distribution)

Standard

Standard

WEIGHT (kg)

Vehicle

Curb / Tare

990

990

Gross Vehicle Mass (GVM)

1610

1610

Gross Combination Mass (GCM)

2710

2710

Maximum Mass On Front Axle

972

972

Maximum Mass On Rear Axle

851

851

Trailer

Braked

1,100

1,100

Unbraked

750

750

Payload

620

620

DIMENSIONS

Exterior (mm)

Overall Length

3,995

3,995

Overall Width

1,770

1,770

Overall Height - Excluding Roof Rails

1,590

1,590

Wheelbase

2,500

2,500

Wheel Tread (mm)

Front

1,554

1,554

Rear

1,568

1,568

Overhang (mm)

Front

790

790

Rear

705

705

Ground Clearance

195

195

Interior (mm)

Head Room

Front Row

1,005

1,005

Leg Room

Front Row

1,040

1,040

Shoulder Room

Front Row

1,370

1,370

Cargo Area (Cubes)

Behind First Row

1,296

1,296

Cargo Area Dimensions (mm)

Length

1,200

1,200

Width

1,200

1,200

Height

900

900

Additional Cargo Area Dimensions (mm)

Length

-

748

Width

-

484

Height

-

466

STYLING FEATURES

Bumper Styling

Front

Body Colour & Black

Body Colour & Black

Rear

Body Colour & Black

Body Colour & Black

Door Handles

Body Colour

Body Colour

Front Grill Styling

Dark Chrome

Dark Chrome

Gear Lever Finish

Soft PVC

Soft PVC

Roof Colour

Body Colour

Body Colour

Rear Spoiler

Body Colour

Body Colour

Side Mirrors

Body Colour & Black

Body Colour & Black

Side Sill Moulding

Black

Black

Skid Plate (Front and Rear)

Silver

Silver

Metallic Paint

Optional

Optional

SEATS

Front Seats

Drivers Seat Adjustment

Venue CARGO

Venue 1.2 MPI Premium CARGO MT MY24

Venue 1.2 MPI Xtra CARGO MT MY25

		Venue 1.2 MPI Premium CARGO MT MY24	Venue 1.2 MPI Xtra CARGO MT MY25
		LCV Panel Van	LCV Panel Van
		Petrol	Petrol
		5-spd Manual	5-spd Manual
	Slide	Manual	Manual
	Recline	Manual	Manual
	Height	Manual - Pump Type	Manual - Pump Type
	Head Rests	Height Adjustable	Height Adjustable
	Passenger Seat Adjustment		
	Slide	Manual	-
	Recline	Manual	-
	Head Rests	Height Adjustable	-
	Seat Back Pockets	Standard	-
	Floor Mats	Standard	Standard
	Number of Seats	2	1
	Seat Trim	Black Cloth	Black Cloth
	Anti-submarine	Standard	Standard
SAFETY FEATURES			
Airbags	Driver - Depowered	Standard	Standard
	Passenger - Depowered	Standard	Standard
Body	Crumple Zones	Standard	Standard
	Side Impact Protection Beams	Standard	Standard
	Uni-body Construction	Standard	Standard
Lights	Delay Exiting On head lights	Standard	Standard
	Delay Exiting On Interior lights	Standard	Standard
	Headlight Auto On/Off Function	Standard	Standard
	Headlight Type	Halogen	Halogen
	High Mount Stop Light	Standard	Standard
	Rear Combination Lamp	Bulb	Bulb
	Side Indicators	On Side Mirror	On Side Mirror
Seatbelt	Front Seats		
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	1 x 3 Point Inertia Reel (ELR)
	Pretensioner with Load Limiter	Standard	Standard
	Not-Inserted Warning Indicator (Driver)	Standard	Standard
Security	Auto Locking Doors	Speed Sensitive 15km/h	Speed Sensitive 15km/h
	Auto Unlocking Doors	All doors on key removal	All doors on key removal
	Central Locking	Standard	Standard
	Child Lock on Rear Doors	Standard	Standard
	Escort Lighting	15 sec Delay on locking & lights come on when unlocking	15 sec Delay on locking & lights come on when unlocking
	Impact Sensing Door Unlock	Standard	Standard
	Inside Handle Override	Driver	Driver
	Remote Keyless Entry	Standard	Standard
	Transponder Immobiliser	Standard	Standard
Windscreen	Front		
	Tinted	Standard	Standard
	Rear		
	Demister	20 min timer	20 min timer
CONVENIENCE FEATURES			
Ventilation	Air-Conditioner	Manual	Manual
Audio system	Audio	Infotainment System	Infotainment System
	Screen Size	8"	8"
	Touch Screen	Standard	Standard
	Device Application Connect	Standard	Standard
	USB Connection	Standard	Standard
	Cellphone Preparation (incl Bluetooth)	Standard	Standard
	Voice Control	Standard	Standard
	Antenna Location	Roof - Rear	Roof - Rear
	No of Speakers	4 Speakers 2 Tweeters	4 Speakers 2 Tweeters
	Rear View Camera with dynamic guidelines	Standard	Standard
Instrumentation	Cluster	4.2 INCH TFT LCD+ RHEOSTAT	4.2 INCH TFT LCD+ RHEOSTAT
	On-board Computer	Standard	Standard
	Ambient Temperature Display	Standard	Standard
	Digital Clock	Standard	Standard
	Illumination Rheostat	Standard	Standard
	Side Indicators: One Touch Triple Turn Signal	Standard	Standard
Courtesy Lights	Cabin	Standard	Standard
	Cargo Area	Standard	Standard
	Door - Alert	Standard	Standard
Rear View Mirrors	Side Mirrors		
	Adjustment	Electric	Electric

Venue CARGO

Venue 1.2 MPI Premium CARGO MT MY24

Venue 1.2 MPI Xtra CARGO MT MY25

LCV Panel Van

LCV Panel Van

Petrol

Petrol

5-spd Manual

5-spd Manual

Window Operation	Folding Function	Manual	Manual
	Inside Rear View Mirror		
	Day Night Function	Manual	Manual
	Front		
	Operation	Electric	Electric
	Electric Window Jam Protection	Standard	Standard
	One Touch Feature	Driver	Driver
	Rear		
Windscreen Wipers	Operation	Electric	Electric
	Front		
	2 Speed Settings	Standard	Standard
	Single Wipe Function	Standard	Standard
Storage Compartments	Variable Intermittent Function	Standard	Standard
	Cup Holders	Front	Front
	Front Armrest	Standard	Standard
	Glove Box	Standard	Standard
Luggage Compartments	Map Pockets: Door Panels	Front	Front
	Sun Visor		
Sun Visor	Ticket Holder	Driver	Driver
	Vanity Mirror	Passenger	Passenger
Doors	Side	4 Doors - Front Hinged	4 Doors - Front Hinged
	Rear	Lift Type	Lift Type
	Park Assist	Rear	Rear
Park Camera - Rear	Standard	Standard	
Power Sockets (Type C USB)	Front Tray	Front Tray	
USB Connection	Front	Front	
Tinted Windows	Standard	Standard	
WARRANTY & MAINTENANCE			
Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty
	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty
Perforation Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty
Roadside Assistance	7 year / 150 000 km	7 year / 150 000 km	7 year / 150 000 km
Service Plan	3 year / 45 000 km	3 year / 45 000 km	3 year / 45 000 km
Service Intervals	15 000 km	15 000 km	15 000 km