

Venue MY24

	Venue 1.2 MPI Premium MT MY24	Venue 1.2 MPI Executive MT MY24	Venue 1.0 TGDI Executive DCT MY24	Venue 1.0 TGDI N Line DCT MY24
	Crossover - 4x2	Crossover - 4x2	Crossover - 4x2	Crossover - 4x2
	Petrol	Petrol	Petrol	Petrol
	5-spd Manual	5-spd Manual	7-spd DCT	7-spd DCT

ENGINE

General Data					
Displacement (cc)		1197	1197	998	998
Bore x Stroke (mm)		71.0 x 75.6	71.0 x 75.6	71.0 x 84.0	71.0 x 84.0
Compression Ratio		10.5	10.5	10	10
Max. Power (kW/rpm)		61 / 6000	61 / 6000	88.3 / 6000	88.3 / 6000
Max. Torque (Nm/rpm)		115 / 4000	115 / 4000	172 /1500-4000	172 /1500-4000
Number of Cylinders		4	4	3	3
Cylinder Block		Aluminium	Aluminium	Aluminium	Aluminium
Cylinder Head		Aluminium	Aluminium	Aluminium	Aluminium
Timing Chain		Silent Timing Chain	Silent Timing Chain	Silent Timing Chain	Silent Timing Chain
Engine Cover		-	-	Standard	Standard
Valve System		16-VALVE MLA	16-VALVE MLA	12-VALVE MLA	12-VALVE MLA
Turbo Charger		-	-	Standard	Standard
Fuel System		MPI	MPI	GDI	GDI
Fuel Type		High Octane Petrol	High Octane Petrol	High Octane Petrol	High Octane Petrol
Fuel Tank (L)		45	45	45	45
Lubricant Oil Capacity (L)		3.6 (with Oil Filter)	3.6 (with Oil Filter)	3.6 (With Oil filter)	3.6 (With Oil filter)
Cooling Fluid Capacity (L)		4.9	4.9	5.3	5.3
Electrical System					
Battery		45 AH	45 AH	45 AH	45 AH
Alternator		13.5V 90A	13.5V 90A	13.5V 120A	13.5V 120A
Starter		12V 0.9kw	12V 0.9kw	12V 0.9kw	12V 0.9kw

TRANSMISSION

Drive Type		2WD	2WD	2WD	2WD
Transmission Type		5-spd Manual	5-spd Manual	7-spd DCT	7-spd DCT
Gear Ratio					
1st		3.727	3.727	3.813	3.813
2nd		2.056	2.056	2.261	2.261
3rd		1.269	1.269	1.957	1.957
4th		0.964	0.964	1.073	1.073
5th		0.774	0.774	0.837	0.837
6th		-	-	0.878	0.878
7th		-	-	0.721	0.721
Reverse		3.636	3.636	5.101	5.101
Final		5.063	5.063	4.625 (1/2/4/5) 3.524 (3/6/7/R)	4.625 (1/2/4/5) 3.524 (3/6/7/R)
Drive Mode Select		-	-	-	Standard
Clutch Type		Dry single plate with diaphragm spring	Dry single plate with diaphragm spring	Conventional (Dry Double Plate with Diaphragm Spring)	Conventional (Dry Double Plate with Diaphragm Spring)
Lubricant Capacity (L)		1.3-1.4	1.3-1.4	1.6-1.7	1.6-1.7

VEHICLE PERFORMANCE

Max Speed (kph)		158	158	180	180
Acceleration (sec)					
	0 → 100 kph	14.2	14.2	11.4	11.4
Braking (m)					
	100 → 0 m	43.5	43.5	42.5	42.5
Coefficient of Drag		0.36	0.36	0.36	0.36

FUEL CONSUMPTION (European testina)

Combined Cycle	Litres / 100 km	6.5	6.5	6.9	6.9
----------------	-----------------	-----	-----	-----	-----

CO2 EMISSIONS (European testina)

Combined Cycle	g/km	152	152	138	138
----------------	------	-----	-----	-----	-----

SUSPENSION

Front		McPherson Strut Type	McPherson Strut Type	McPherson Strut Type	McPherson Strut Type
Rear		Couple Torsion Beam Axle	Couple Torsion Beam Axle	Couple Torsion Beam Axle	Couple Torsion Beam Axle
Shock Absorbers	Front	Oil & Coil Spring	Oil & Coil Spring	Oil & Coil Spring	Oil & Coil Spring
	Rear	Oil & Coil Spring	Oil & Coil Spring	Oil & Coil Spring	Oil & Coil Spring

STEERING

Steering Wheel Description		3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag
Steering Type		C-MDPS	C-MDPS	C-MDPS	C-MDPS
Power Assisted		Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)
Steering Column Adjustment		Tilt	Tilt	Tilt	Tilt
Steering Wheel Finish		Polyurethane	Artificial Leather	Artificial Leather	Artificial Leather with Red Stitching
Steering Wheel Multifunction Controls		Audio, On Board Computer & Bluetooth	Audio, On Board Computer & Bluetooth	Audio, On Board Computer, Bluetooth	Audio, On Board Computer, Bluetooth & Cruise Control
Steering Wheel Turns (lock to lock)		2.7	2.70	2.70	2.70
Min. Turning Radius (m)		5.1	5.10	5.10	5.10

WHEELS & TYRES

Wheel Type		Styled Covers 15"	Alloy 15"	Alloy 16"	Alloy 16"
Tyre Size					
	Front	195/65R15 91H	195/65R15 91H	215/60R16 95H	215/60R16 95H
	Rear	195/65R15 91H	195/65R15 91H	215/60R16 95H	215/60R16 95H
	Spare	195/65R15	195/65R15	195/65R15	195/65R15
Spare Tyre Location		Located under cargo area	Located under cargo area	Located under cargo area	Located under cargo area
Tyre Pressure (Kpa):					
	Front				
	Unladen	230	230	230	230
	Laden	250	250	250	250
	Rear				
	Unladen	230	230	230	230
	Laden	260	260	260	260
	Spare	260	260	260	260

BRAKES

Front Brake Type		Φ280 Ventilated Disc Type	Φ280 Ventilated Disc Type	Φ280 Ventilated Disc Type	Φ280 Ventilated Disc Type
Rear Brake Type		Φ203.2 Drum Brake Type	Φ203.2 Drum Brake Type	Φ203.2 Drum Brake Type	Φ262 Disc Type
Brake Booster		10" Single	10" Single	10" Single	10" Single
Boost Ratio		7:1	7:1	7:1	7:1
Park Brake		Hand Lever, Mechanical Cable Type	Hand Lever, Mechanical Cable Type	Hand Lever, Mechanical Cable Type	Hand Lever, Mechanical Cable Type
ABS (Anti-Lock Breaking System)		Standard	Standard	Standard	Standard
EBD (Electronic Brake Force Distribution)		Standard	Standard	Standard	Standard
ESP (Electronic Stability Program)		-	-	Standard	Standard
HAC (Hill start Assist Control)		-	-	Standard	Standard

WEIGHT (kg)

Vehicle					
	Curb / Tare	990	990	1110	1110
	Gross Vehicle Mass (GVM)	1610	1610	1670	1670
	Gross Combination Mass (GCM)	2710	2710	2470	2470
	Maximum Mass On Front Axle	972	972	972	972
	Maximum Mass On Rear Axle	851	851	851	851
Trailer					
	Braked	1,100	1,100	800	800
	Unbraked	500	500	500	500
Payload		620	620	560	560

Venue MY24

Venue 1.2 MPI Premium MT MY24

Venue 1.2 MPI Executive MT MY24

Venue 1.0 TGD Executive DCT MY24

Venue 1.0 TGD N Line DCT MY24

Crossover - 4x2

Petrol

5-spd Manual

Crossover - 4x2

Petrol

5-spd Manual

Crossover - 4x2

Petrol

7-spd DCT

Crossover - 4x2

Petrol

7-spd DCT

Roof Rail Load (Kg)	-	100	-	100
---------------------	---	-----	---	-----

DIMENSIONS

Exterior (mm)	Overall Length	3,995	3,995	3,995	3,995
	Overall Width	1,770	1,770	1,770	1,770
	Overall Height - Excluding Roof Rails	1,590	1,590	1,590	1,590
	Overall Height	1,617	1,617	1,617	1,617
	Wheelbase	2,500	2,500	2,500	2,500
Wheel Tread (mm)	Front	1,554	1,554	1,554	1,554
	Rear	1,568	1,568	1,568	1,568
Overhang (mm)	Front	790	790	790	790
	Rear	705	705	705	705
Ground Clearance		195	195	195	195
Interior (mm)	Head Room				
	Front Row	1,005	1,005	1,005	1,005
	Second Row	985	985	985	985
	Leg Room				
	Front Row	1,040	1,040	1,040	1,040
	Second Row	905	905	905	905
	Shoulder Room				
	Front Row	1,370	1,370	1,370	1,370
	Second Row	1,365	1,365	1,365	1,365
Cargo Area (L) - VDA					
	Behind Second Row	343	343	343	343

STYLING FEATURES

Bumper Styling	Front	Body Colour & Black	Body Colour & Black	Body Colour & Black	Body Colour, Grey & Black
	Rear	Body Colour & Black	Body Colour & Black	Body Colour & Black	Body Colour, Grey & Black
Door Handles		Body Colour	Body Colour	Body Colour	Body Colour
Front Grill Styling		Dark Chrome	Dark Chrome	Dark Chrome	Dark Chrome
Gear Lever Finish		Soft PVC	Artificial Leather	Artificial Leather	Artificial Leather
Roof Colour		Body Colour	Black	Body Colour	Black
Rear Spoiler		Body Colour	Black	Body Colour	Black
Side Mirrors		Body Colour & Black	Body Colour & Black	Body Colour & Black	Body Colour & Black
Side Sill Moulding		Black	Black	Black	Black & Grey
Skid Plate (Front and Rear)		Silver	Silver	Silver	Silver
Metallic Paint		Optional	Optional	Optional	Optional

SEATS

Front Seats	Drivers Seat Adjustment				
	Slide	Manual	Manual	Manual	Electric
	Recline	Manual	Manual	Manual	Electric
	Height	Manual - Pump Type	Manual - Pump Type	Manual - Pump Type	Manual - Pump Type
	Head Rests	Height Adjustable	Height Adjustable	Height Adjustable	Height Adjustable
	Passenger Seat Adjustment				
	Slide	Manual	Manual	Manual	Manual
	Recline	Manual	Manual	Manual	Manual
	Head Rests	Height Adjustable	Height Adjustable	Height Adjustable	Height Adjustable
	Seat Back Pockets	Standard	Standard	Standard	Standard
Armrest	Standard	Standard	Standard	Standard - Sliding	
Floor Mats	Standard	Standard	Standard	Standard	
Second Row	Recline	-	Standard	-	Standard
	Split Rear Seats	Bench	60/40	Bench	60/40
	Armrest	-	Standard	-	Standard
	Head Rests	2 x Height Adjustable	2 x Height Adjustable	2 x Height Adjustable	2 x Height Adjustable
Number of Seats		5	5	5	5
	Seating Configuration	2 / 3	2 / 3	2 / 3	2 / 3
Seat Trim		Black Cloth	Black Cloth & Leather	Black Cloth & Leather	Artificial Leather with Red Trim
Anti-submarine		Standard	Standard	Standard	Standard

SAFETY FEATURES

Airbags	Driver - Depowered	Standard	Standard	Standard	Standard
	Passenger - Depowered	Standard	Standard	Standard	Standard
	Side	-	-	-	Standard
	Curtain	-	-	-	Standard
Body	Crumple Zones	Standard	Standard	Standard	Standard
	Side Impact Protection Beams	Standard	Standard	Standard	Standard
	Uni-body Construction	Standard	Standard	Standard	Standard
Lights	Delay Exiting On head lights	Standard	Standard	Standard	Standard
	Delay Exiting On Interior lights	Standard	Standard	Standard	Standard
	Headlight Auto On/Off Function	Standard	Standard	Standard	Standard
	Headlight Type	Halogen	Halogen	Halogen	LED BI-FUNC. PROJECTION W/ STATIC BENDING
	High Mount Stop Light	Standard	Standard	Standard	Standard
	Daytime Running Lights				Standard - LED
	Rear Combination Lamp	Bulb	Bulb	Bulb	LED
	Side Indicators	On Side Mirror	On Side Mirror	On Side Mirror	On Side Mirror
Seatbelt	Front Seats				
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)
	Pretensioner with Load Limiter	Standard	Standard	Standard	Standard
	Not-Inserted Warning Indicator (Driver)	Standard	Standard	Standard	Standard
	Second Row				
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap
	ISOFIX Child Seat Attachments	Standard	Standard	Standard	Standard
	Security				
	Auto Locking Doors	Speed Sensitive 15km/h	Speed Sensitive 15km/h	Speed Sensitive 15km/h	Speed Sensitive 15km/h
	Auto Unlocking Doors	All doors on key removal	All doors on key removal	All doors on key removal	All doors on ignition off
Central Locking	Standard	Standard	Standard	Standard	
Child Lock on Rear Doors	Standard	Standard	Standard	Standard	
Escort Lighting	15 sec Delay on locking & lights come on when unlocking	15 sec Delay on locking & lights come on when unlocking	15 sec Delay on locking & lights come on when unlocking	15 sec Delay on locking & lights come on when unlocking	
Impact Sensing Door Unlock	Standard	Standard	Standard	Standard	
Inside Handle Override	Driver	Driver	Driver	Driver	
Remote Keyless Entry	Standard	Standard	Standard	Standard	
Smart Key with Push Button Start	-	-	-	Standard	
Transponder Immobiliser	Standard	Standard	Standard	Standard	
Windscreen	Front				
	Tinted	Standard	Standard	Standard	Standard
	Rear				
	Demister	20 min timer	20 min timer	20 min timer	20 min timer
	Wiper & Washer	-	-	Standard	Standard

CONVENIENCE FEATURES

Ventilation	Air-Conditioner	Manual	Manual	Manual	Automatic
	Glove Box Cooling	-	Standard	-	Standard
	2nd Row Passenger Adjustable Air Vents	Standard	Standard	Standard	Standard

		Venue 1.2 MPI Premium MT MY24	Venue 1.2 MPI Executive MT MY24	Venue 1.0 TGDI Executive DCT MY24	Venue 1.0 TGDI N Line DCT MY24
		Crossover - 4x2	Crossover - 4x2	Crossover - 4x2	Crossover - 4x2
		Petrol	Petrol	Petrol	Petrol
		5-spd Manual	5-spd Manual	7-spd DCT	7-spd DCT
Audio system	Audio	Infotainment System	Infotainment System	Infotainment System	Infotainment System
	Screen Size	8"	8"	8"	8"
	Touch Screen	Standard	Standard	Standard	Standard
	Device Application Connect	Standard	Standard	Standard	Standard
	USB Connection	Standard	Standard	Standard	Standard
	Cellphone Preparation (incl Bluetooth)	Standard	Standard	Standard	Standard
	Voice Control	Standard	Standard	Standard	Standard
	Antenna Location	Roof - Rear	Roof - Rear	Roof - Rear	Roof - Rear
	No of Speakers	4 Speakers 2 Tweeters	4 Speakers 2 Tweeters	4 Speakers 2 Tweeters	4 Speakers 2 Tweeters
	Rear View Camera with dynamic guidelines	Standard	Standard	Standard	Standard
Instrumentation	Cluster	4.2 INCH TFT LCD+ RHEOSTAT	4.2 INCH TFT LCD+ RHEOSTAT	4.2 INCH TFT LCD+ RHEOSTAT	4.2 INCH TFT LCD+ RHEOSTAT
	On-board Computer	Standard	Standard	Standard	Standard
	Ambient Temperature Display	Standard	Standard	Standard	Standard
	Digital Clock	Standard	Standard	Standard	Standard
	Illumination Rheostat	Standard	Standard	Standard	Standard
	Side Indicators: One Touch Triple Turn Signal	Standard	Standard	Standard	Standard
Courtesy Lights	Cabin	Standard	Standard	Standard	Standard
	Cargo Area	Standard	Standard	Standard	Standard
	Door - Alert	Standard	Standard	Standard	Standard
	Map Reading	-	-	-	Standard
Rear View Mirrors	Side Mirrors				
	Adjustment	Electric	Electric	Electric	Electric
	Folding Function	Manual	Electric	Manual	Electric
	Inside Rear View Mirror				
	Day Night Function	Manual	Manual	Manual	Manual
Window Operation	Front				
	Operation	Electric	Electric	Electric	Electric
	Electric Window Jam Protection	Standard	Standard	Standard	Standard
	One Touch Feature	Driver	Driver	Driver	Driver
	Rear				
	Operation	Electric	Electric	Electric	Electric
Windscreen Wipers	Front				
	2 Speed Settings	Standard	Standard	Standard	Standard
	Single Wipe Function	Standard	Standard	Standard	Standard

Venue MY24

Venue 1.2 MPI Premium MT MY24

Venue 1.2 MPI Executive MT MY24

Venue 1.0 TGDI Executive DCT MY24

Venue 1.0 TGDI N Line DCT MY24

Crossover - 4x2

Crossover - 4x2

Crossover - 4x2

Crossover - 4x2

Petrol

Petrol

Petrol

Petrol

5-spd Manual

5-spd Manual

7-spd DCT

7-spd DCT

Variable Intermittent Function

Standard

Standard

Standard

Standard

Rear

2 Speed Settings

-

-

Standard

Standard

Washer

-

-

Standard

Standard

Storage Compartments

Cup Holders

Front & Rear

Front & Rear

Front & Rear

Front & Rear

Front Armrest

Standard

Standard

Standard

Standard

Glove Box

Standard

Standard

Standard

Standard

Map Pockets: Door Panels

Front

Front

Front

Front

Luggage Compartments

Cargo Screen

Standard

Standard

Standard

Standard

Sun Visor

Ticket Holder

Driver

Driver

Driver

Driver

Vanity Mirror

Passenger

Passenger

Passenger

Passenger

Doors

Side

4 Doors - Front Hinged

4 Doors - Front Hinged

4 Doors - Front Hinged

4 Doors - Front Hinged

Rear

Lift Type

Lift Type

Lift Type

Lift Type

Cruise Control

-

-

-

-

Park Assist

Rear

Rear

Rear

Rear

Park Camera - Rear

Standard

Standard

Standard

Standard

Power Sockets (Type C USB)

Front Tray

Front Tray & Rear Console

Front Tray & Rear Console

Front Tray & Rear Console

USB Connection

Front

Front

Front

Front

Roof Rails

-

Standard

-

Standard

Ambient Mood Lighting

-

-

-

-

Sun Roof

-

-

-

-

Tinted Windows

Standard

Standard

Standard

Standard

WARRANTY & MAINTENANCE

Warranty

5 Year / 150 000 km Manufacturer's Warranty

5 Year / 150 000 km Manufacturer's Warranty

5 Year / 150 000 km Manufacturer's Warranty

5 Year / 150 000 km Manufacturer's Warranty

Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty

Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty

Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty

Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty

Perforation Warranty

5 Year / 150 000 km Manufacturer's Warranty

5 Year / 150 000 km Manufacturer's Warranty

5 Year / 150 000 km Manufacturer's Warranty

5 Year / 150 000 km Manufacturer's Warranty

Roadside Assistance

7 year / 150 000 km

7 year / 150 000 km

7 year / 150 000 km

7 year / 150 000 km

Service Plan

3 year / 45 000 km

3 year / 45 000 km

3 year / 45 000 km

3 year / 45 000 km

Service Intervals

15 000 km

15 000 km

15 000 km

15 000 km